



Telescopic boom • Teleskopausleger • Flèche principale • Pluma telescópica • Braccio telescopico • Lança telescópica



9,8 - 31 m



100%



360°



4 300 kg



DIN/ISO

RT540CE

m	9,8	12,2	15,2	18,3	21,3	24,4	27,4	31,0
2,5	35,000							
3,0	32,725	22,975	21,975					
3,5	29,000	22,975	21,975					
4,0	25,150	22,975	21,975	21,025				
4,5	22,125	22,350	21,975	20,150				
5,0	19,675	19,900	20,075	18,925	17,550			
6,0	15,950	16,175	16,350	16,250	14,275	13,450		
7,0	13,250	13,475	13,675	13,775	12,650	12,075	9,975	
8,0		11,450	11,625	11,725	11,250	10,725	9,530	8,375
9,0		9,835	9,900	9,885	9,780	9,405	8,470	7,980
10,0		8,420	8,545	8,545	8,360	8,060	7,625	7,350
12,0			6,070	6,130	6,200	6,110	5,930	5,720
14,0				4,525	4,620	4,670	4,635	4,475
16,0				3,415	3,500	3,560	3,570	3,560
18,0					2,675	2,730	2,760	2,775
20,0						2,090	2,130	2,160
22,0						1,585	1,630	1,670
24,0							1,220	1,265
26,0								0,935
28,0								0,650

AG-829-10-0314

Swingaway • Klappspitze • Extension treillis • Plumin • Falcone • Swingaway



31 m



7,9 - 13,7 m
Fixed offsettable



100%



DIN/ISO

RT540CE

Radius	7,9 m	
m	0° offset	30° offset
10,0	3,715	
12,0	3,175	
14,0	3,500	2,620
16,0	3,200	2,545
18,0	2,630	2,270
20,0	2,100	1,995
22,0	1,665	1,760
24,0	1,280	1,535
26,0	0,955	1,165
28,0	0,685	0,855
30,0		0,590
32,0		

AG-829-10-0322

Swingaway • Klappspitze • Extension treillis • Plumin • Falcone • Swingaway



31 m



7,9 - 13,7 m
Tele Offsettable



100%



360°



4 300 kg



DIN/ISO

RT540CE

Radius m	7,9 m			13,7 m		
	0° offset	15° offset	30° offset	0° offset	15° offset	30° offset
12,0	3,800	3,525		2,380		
14,0	3,500	3,300	2,735	2,360		
16,0	3,200	2,930	2,565	2,200	1,630	
18,0	2,630	2,485	2,420	1,975	1,565	1,360
20,0	2,100	2,120	2,150	1,800	1,500	1,305
22,0	1,665	1,810	1,845	1,690	1,440	1,250
24,0	1,280	1,410	1,535	1,605	1,375	1,200
26,0	0,955	1,075	1,165	1,285	1,305	1,155
28,0	0,685	0,785	0,855	1,010	1,195	1,115
30,0		0,535	0,590	0,775	0,935	1,070
32,0				0,575	0,710	0,820
34,0					0,515	0,605

AG 820-101325

SOGECOFA.com

Contact Centralisé :

0 820 209 209

(L820-RT540)